



Filterdesigningfor digital image enhancement Using filter masking with optimization technique

Gurjinder Kaur¹,RajneeshKansal²

¹*StudentAsra College OfEngg& Technology, Deptt.OfCSE*

²*Assistant. ProfessorAsra College OfEngg&Technology, Deptt of CSE*

Abstract: Image enhancement techniques provide a way to improve the object identification in underwater environment. The images that are taken beneath the sea waves must be pre-processed because of disturbances in the sea water. When we capture such images, quality of images degrade due to many factors like ripples in water, lack of availability of light, organic matter dissolved in water etc and also such images are captured from a very small distance , so the images must be pre processed before applying any kind of operation on these images. To improve the quality of image the image is passed through filters. Various kind of filters up-to a precision are available till now. In this paper a masking filter technique has been proposed to clarify such images. To get the clarified results ant colony optimization has been used to detect the edges in the image. Proposed technique has been compared with existing filterinterms of PSNRand MSE.

Keywords:Image Pre-processing,Peak signal to noise ration, Mean square error,Un-sharp masking filter.

I. INTRODUCTION

Underwater image enhancement techniques provide a way to improving the object identification in underwater environment. Underwater sea images needs to be pre-processed due to quality of sea water images[1]. When we capture such images, quality of images degrade due to many factors like ripples in water, lack of availability of light, organic matter dissolved in water etc and also such images are captured from a very small distance , so the images must be pre-processed before applying any kind of operation on these images. To improve the quality of image the image is passed through filters[3]. Various filtering methods can be used to remove noise, to correct non uniform illumination, enhancing color quality of image etc.

The remaining of the paper is organized as follows: Section II includes the previous researches done in the field of underwater image pre-processing. Section-III describes the complete methodology of proposed algorithm. In section-IV results and comparison of proposed methodology with existing filters has been described. Finally conclusion of proposed approach has been given in section-V.

II. LITERATURE SURVEY


Recently, many researchers have developed pre processing techniques for underwater images using image enhancement methods.Prabhakar C.J.et. al. [1] studied an image based preprocessing technique to enhance the quality of the underwater images. The technique comprises a combination of four filters such as homomorphic filtering, wavelet de-noising, bilateral filter and contrast equalization. These filters are applied sequentially on degraded underwater images. The literature survey reveals that image based pre-processing algorithms uses standard filter techniques with various combinations. For smoothing the image, the image based pre-processing algorithms uses the anisotropic filter. The main drawback of the anisotropic filter is that iterative in nature and computation time is high compared to bilateral filter. In addition to other three filters, the author had employed a bilateral filter for smoothing the image. The technique using quantitative based criteria

such as a gradient magnitude histogram and Peak Signal to Noise Ratio (PSNR). Further, the results are qualitatively evaluated based on edge detection results.

G.Padmavathiet. al. [2] studied that the under-water images suffer from quality degradation due to transmission of limited range of light, low contrast and blurred image due to quality of light and diminishing color. When an underwater image is captured, pre-processing is necessarily done to correct and adjust the image for further study and processing. Different filtering techniques are available in the literature for pre-processing of underwater images. The filters used normally improve the image quality, suppress the noise, preserves the edges in an image, enhance and smoothen the image. Therefore three famous filters namely, homomorphic filter, anisotropic diffusion and wavelet de-noising by average filter used for under water image pre-processing. The speckle reduction by anisotropic filter improves the image quality, suppressed the noise, preserves the edges in an image, enhance and smoothen the image .The mean square error value which must be low for an image and peak signal to noise ratio which must be high in an image.Isabelle Quiduet. al. [3] proposed that underwater images suffer from limited range, non uniform lighting, low contrast, diminished colors, and important blur. Moreover many parameters can modify the optical properties of the water and underwater images show large temporal and spatial variations. So, it is necessary to pre-process those images before using usual image processing methods. The various filter composed homomorphic filtering to reduce illumination problems and to enhance the contrast, wavelet denoising and anisotropic filtering to cancel out the noise and enhance edges, contrast adjustment and color compensation to suppress the predominant color.

III. PROPOSED METHODOLOGY

Proposed approach allows to enhance the quality of underwater sea images preserving edges in images. A filter has been designed to sharpen the edges of image. The presented approach work for filtering images with different file formats e.g. BMP, JPG, GIF, TIFF etc. Proposed system has been compared with existing filters in terms of image visual quality, MSE and PSNR. Proposed system has been designed in MATLAB. In proposed approach unsharp operator has been used for image sharpening. Sharpness is actually contrasted between different colours. Sharpening images increases the contrast along the edges where different colours meet. Proposed methodology works on the following approach. In methodology shown below in figure (a) an original signal has been shown. This is passed through a low pass filter to generate a low pass signal figure (b). When original signal is subtracted from low pass signal it will yield a high pass signal. When this highpassed signal is added to original signal it will produce sharpened edges.



Proposed algorithm works using two different approaches .

In step1 we will find a sharpened image by passing the image through unsharp masking filter.
In step 2 we will detect the edges of sharpened image.

A brief description of the proposed methodology is as follows:-

Step 1:-

In proposed methodology firstly we are going to design a 2-d unmask filter which will produce an image containing sharpened images.

Unsharp masking filter will help to find sharpened edges in an image .It can be implemented using a low pass filter to produce the smoothen version of image which will then be pixel subtracted from original image to produce a description of image edges i.e a high passed image.

Step2:-

In step2 we will apply optimization algorithm on sharpened RGB image. Optimization algorithm will optimize a problem by iteratively trying to improve a candidate solution with regards to given measure of quality.By using optimization algorithm we will find the edges in the image.

IV. RESULTS AND DISCUSSIONS

Proposed methodology has been tested on four different sea water images.Test images have been shown below:




Figure 1: Set of test images

The images shown above are in different image formats. Proposed filter has been compared with homomorphic filter and bilateral filter. Results of various images have been shown below.

Figure shown below gives the result for image sea.jpg after applying proposed filter, Homomorphic filter and bilateral filter.




Figure: Result for image sea.jpg

Figure gives the comparison of various filters on image fish.jpg

Method	PSNR	MSE	Images
Modified laplacian Filter	85.6603	1.7662e-004	Shark.jpg
	53.3030	0.3039	Grass.jpg
	87.8378	1.0698e-004	Titanic.png
	42.4008	3.7411	Fishe.bmp
Laplacian Filter	23.4088	296.6207	Shark.jpg
	17.5683	1.1383e+003	Grass.jpg
	35.4906	18.3664	Titanic.png
	15.4234	1.8653e+003	Fishe.bmp
Homomorphic Filter	5.8567	1.6882e+004	Shark.jpg
	5.0305	2.0419e+004	Grass.jpg
	10.7200	5.5091e+003	Titanic.png
	9.3529	7.5472e+003	Fishe.bmp
Bilateral Filter	25.2914	192.2843	Shark.jpg
	16.9487	1.3128e+003	Grass.jpg
	23.1596	314.1363	Titanic.png
	16.7360	1.3787e+003	Fishe.bmp




Figure: Result of various filters for Fish.jpg

The image shown below shows the results for image titanic.png




Figure: Result of various filter for Titanic.png

The figure given below shows the results of various filter for image test3.jpg




Figure: Results for various filters for test3.jpg.

Table shown below gives the comparison of various filters on set of original images for the PSNR value and MSE to show the effectiveness of proposed approach

V. CONCLUSION AND FUTURE WORK

Underwater sea images need to be pre-processed due to many factors. Various kind of filters upto a precision are available till now. In this paper unsharp masking technique has been proposed to sharpen such images. From the results shown above it can be concluded that PSNR value for proposed filter is much better in comparison with available filters. The images shown in result section shows that the quality of image obtained after applying proposed filter is also better then available filters. In proposed technique focus is onm edge sharpening of sea water images bt still there are so many factors which also degrades the quality of sea water images. In future work can be extended to improve the quality by aiming at other factors like contrast stretching, Light illumination etc.

REFERENCES

- I. Prabhakar C.J. (2011), "An image technique for enhancement of underwater images",*International Journal of Machine Intelligence*, Volume 3, Issue 4, 2011, pp-217-224
- II. Dr. G. Padmavathi , Dr. P. Subashini (2010), "Comparison of Filters used for Underwater Image Pre-Processing", *IJCSNS International Journal of Computer Science and Network Security*, Vol.10
- III. Stephane Bazeille , Isabelle Quidu , Luc Jaulin (2006) , "Automatic Underwater Image Pre-Processing" France
- IV. Balvant Singh (2012) , "Analysis of Contrast Enhancement Techniques For Underwater Image",*International Journal of Computer Technology and Electronics Engineering* ,Volume 1 , Issue 2
- V. Amit Verma (2011) , "Edge Detection and Optimization Algorithm for 2-D Images" , *International Journal of Research in Engineering and Technology* ,Vol. 1 No. 1
- VI. Sami Abdulla Mohsen Saleh (2012) , "Mathematical Equations for Homomorphic Filtering in Frequency Domain: A Literature Survey" , *International Conference on Information and Knowledge Management (ICIKM)* ,Vol.45
- VII. M. Davoodianidaliki (2013) , " Adaptive edge detection using adjusted ant Colony optimization" , *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, Volume XL-1/W3, Tehran, Iran
- VIII. Anna Veronica C. Bateria (2009), "Ant Colony Optimization for Image Edge Detection"
- IX. Sowmyashree M S, Sukrita K Bekal (2014) , " A Survey on the various Underwater image enhancement techniques", *International Journal of Engineering Science Invention* , Volume 3 Issue 5 ,PP.40-45
- X. Shiwam S. Thakare, Amit Sahu (2014), "Comparative Analysis of Various Underwater Image Enhancement Techniques", *International Journal of Computer Science and Mobile Computing, IJCSMC*, Vol. 3, Issue. 4, pg.33 – 38
- XI. M.Lakshmana ,A.Maheswari (2013) , "Modified Classical Unsharp Masking Algorithm", *International Journal of Advanced Research in Computer Science and Software Engineering* ,Volume 3, Issue 9
- XII. Nirmala S. O (2012), " Review on Image Enhancement Techniques: Implementation perspective",*International Journal of Electronics Communication and Computer Technology (IJECCCT)*, Volume 2 Issue 6
- XIII. RakhiChanana (2011), " Spatial Domain based Image Enhancement Techniques for Scanned Electron Microscope (SEM) images" , *IJCSI International Journal of Computer Science Issues*, Vol. 8, Issue 4, No 2
- XIV. Suneetha , Dr. T. Venkateswarlu (2012) , " Enhancement Techniques for Gray scale Images in Spatial Domain", *International Journal of Emerging Technology and Advanced Engineering* ,Volume 2, Issue 4
- XV. Nisha Patel ,Chhabikiran Sao (2014) , "A survey on: Visual Enhancement and Restoration of Sub-Aqua Image", *International Journal of Advanced Research in Computer and Communication Engineering*, Vol. 3, Issue 2
- XVI. NagamaniModalavalasa (2012) , "A quantitative evaluation of various spatial filters for underwater sonar images denoising application",*International Journal Of Engineering*
- XVII. Jeetu Singh (2013) , "Digital Image Edge Detection using Enhanced Ant Colony Optimization Technique",*International Journal of Computer Applications* , Volume 67– No.16
- XVIII. Mohammed Nasir Uddin , Dr. Jebunnahar (2012), "A Comprehensive Study of Digital Image Processing for Finding Image Quality Dependencies",*International Journal of Scientific and Research Publications*, Volume 2, Issue 3
- XIX. PinakiPratim Acharjya1, Ritaban Das (2012), "A Study on Image Edge Detection Using the Gradients",*International Journal of Scientific and Research Publications*, Volume 2, Issue 12